PKTHYBRID

PREBENA



PKTHYBRID

Cordless nailers up to 100 mm nail length

PREBENA PKT-Technology

in combination with an 18 V LiHD high-performance battery

- independent of gas cylinder, power cord and hose for maximum flexibility of operation
- ergonomically designed for strong performance and high comfort in every use
- powerful for all nail lengths also in ring version
- repair- and service-friendly
- optimal weight balance and shooting performance
- environmentally conscious no gas, no CO₂ emissions
- for indoor and outdoor use
- weather and temperature independent



MADE IN GERMANY









Hybrid nailer for paper collated round head strip nails

Type RKP (20°) from 65-100 mm

- gauge for air level
- pressure relief
- incl. compressed air cylinder KT-1000 (only for filling)
- fast shot sequence = 1.5 shots/second
- weight: approx. 4 kg without battery
- low construction height = only 38 cm

- operation via touch display
- toolless removal of the magazine
- safety device
- belt clip
- depth adjustment
- quick loading system



PKT-8-RKP100

with short magazine for one nail strip

- incl. 1 compressed air cylinder KT-1000
- in a plastic transport case



PKT-8-RKP100LM

with long magazine for two nail strips

- incl. 1 compressed air cylinder KT-1000
- in a plastic transport case



PKT-8-RKP100-SET

with short magazine for one nail strip

- incl. compressed air cylinder KT-1000, battery 18-5,5-LiHD and battery station 12-36
- in a plastic transport case



PKT-8-RKP100LM-SET

with long magazine for two nail strips

- incl. compressed air cylinder KT-1000, battery 18-5,5-LiHD and battery station 12-36
- in a plastic transport case

100% compatible for over 160 machines from 17 different manufacturers of the 18 V class

- limitless compatibility everything is compatible: machines, batteries and chargers of all CAS brands
- double flexibility work cordlessly and use machines from different manufacturers
- cost advantages through multiple use of available batteries



AKKU18-4,0-LiHD | AKKU18-5,5-LiHD

- LiHD batteries for ultimate performance and long service life with minimum temperature development
- durable battery packs with three years warranty
- capacity indicator for permanent control of the filling level



AKKU-STATION 12-36

- battery station for charging LiHD sliding seat batteries
- cooling during charging for significantly reduced charging times
- very low stand-by power consumption

Mains voltage: 230-240 V | Mains frequency: 50-60 Hz | max. charging voltage: 3/4 A



AKKU-SET 4,0 LiHD

- 2× battery 18-4,0-LiHD
- 1× battery station 12-36



AKKU-SET 5,5 LiHD

- 2× battery 18-5,5-LiHD
- 1 × battery station 12-36